

PRODUCT OVERVIEW



www.eviewgps.com



sales@eviewgps.com



+86 -15899795842



+86-0755-23761896

Office : 29th Floor, Changjiang Center, Renmin Road, Longhua, Shenzhen.

Factory : 201# Building 1A, Nankechuang Yuangu, Gaofeng Road, Longhua, Shenzhen

| OUR COMPANY



Committed to strict quality control and attentive customer service, our experienced team members are always available to discuss your requirements and ensure your satisfaction. Our products are exported to more than 140 countries, including the United States, the United Kingdom, Germany, France, Australia, and New Zealand, and we welcome both OEM and ODM orders.

Shenzhen Eview GPS Technology

is a professional manufacturer dedicated to the research and development, production, marketing, sales, and service of personal mobile alarm systems, pet GPS trackers, asset GPS trackers, and more. We provide comprehensive management solutions for a range of industries, including telecare, child safety monitoring, pet tracking, lone worker safety, sports and activities enthusiasts, and anyone in need of meticulous care.

Our mission is to help seniors, vulnerable individuals, and those living with physical or mental health impairments lead happier, more independent, and relaxed lives. We believe that everyone deserves to enjoy a better quality of life, and we are dedicated to making that a reality through our innovative products and solutions.

CONTENTS



mPers

- EV-12
- EV-07B
- EV-04
- EV-03

SOS Watches

- EV-06
- EV-05
- EV-10
- Watch Strap Lock

Hub

EV-Hub

Beacon & Accessories

- EW-03
- EW-04

Platform & Mobile Apps

- EVmars
- Smart Locator

EV-12



Features

- SOS Alarm
- LoRa
- Live Tracking
- IP67
- Fall Alert
- No Motion Alert
- Geo Fence
- NFC
- FOTA

General Specifications

- Dimension: 67.3 * 37.7 * 15mm
- Weight: 43g
- Backup battery: 3.7V, 720mAh (Li-Polymer)
- Charging voltage: 5V DC
- Operating Temperature: -20°C to +60°C for working, -20°C to +60°C for storage
- Waterproof: Follow the IP67 Standard

4G LTE & GPS

- Support AGPS
- Receiver frequency: 1575.42MHz
- Antenna: Built-in ceramic antenna
- AU: B1/B3/B5//B7/B8/B28
- EU: B1/B3/B7/B8/B20
- North America: B2/B4/B12
- JP (Pending): B1/B18/B19/B26

LoRa

- Europe 868MHz
- North America 906MHz
- Australia 916MHz

Hardware Specifications

- Sensor: motion & fall detection sensor
- SIM card slot: Nano SIM card Built-in microphone & speaker
- Wi-Fi: 2.4GHz, 802.11 b/g/n
- Bluetooth: BLE 5.0

Shenzhen Eview GPS Technology

www.eviewgps.com +86 -15899795842
 sales@eviewgps.com +86-0755-23761896

Office: 29th Floor, Changjiang Center, Renmin Road, Longhua, Shenzhen.

Factory: 201# Building 1A, Nankechuang Yuangu, Gaofeng Road, Longhua, Shenzhen

PTCRB UK CA CE FC RoHS
 *AT&T *PTCRB *verizon

* Means that the certification is undergoing



Emergency Mobile Alert

SOS alarm with unlimited distance via cellular mobile network and real time positioning.



Working with LoRa

Users can wear a LoRa wristband to communicate with the pendant and trigger a SOS alarm. The LoRa wristband functions up to 300 meters in open spaces, ensuring continuous protection even when the pendant is charging.




Embedded NFC Tag

Caregivers can obtain user information through the NFC tag

EV-12



Our new mPERS device is a smart and handy pendant designed to keep you safe and connected. It lets you stay in touch with family anytime and even share your location in real time. With integrated LoRa wireless RF technology, the SOS alarm could not only be triggered via the pendant, but an optional LoRa wristband.




● Straight line means that the devices are well integrated

● Dotted line means that the devices are under integration

The healthy devices, the beacon EW-03, the safety necklace button EW-04 are connected to Eview EV-12 and its docking station DS-12 via Eview private Bluetooth protocol, while the wall SOS button and LoRa wristband are connected via LoRa.

EV-07



Features

- SOS SOS Alarm
- Two Way Calling
- Live Tracking
- IP67
- Fall Alert
- No Motion Alarm
- GEO Fence
- Remote Monitoring
- FOTA

General Specifications

- Dimension: 61*44*16mm
- Battery: Rechargeable 3.7V, 800mAh (Li-polymer)
- Weight: 43g
- Charging voltage: 5V DC
- Operating Temperature: -20°C to +60°C for working, -20°C to +60°C for storage
- Waterproof: follow the IP67 standard

4G LTE & GPS

- Support GPS and Glonass
- AGPS: Yes
- Built-in laser curved antenna
- Supported bands:
 - AU: B1/B3/B5/B7/B28
 - EU: B1/B3/B7/B8/B20
 - North America: B2,B4,B12
 - JP: B1/B18/B19/B26

Hardware Specifications

- Sensor: motion & vibration sensor
- Support magnetic charging
- Built-in microphone & speaker
- Support WiFi and Bluetooth

Shenzhen Eview GPS Technology

www.eviewgps.com +86 -15899795842
 sales@eviewgps.com +86-0755-23761896

Office:29th Floor,Changjiang Center, Renmin Road, Longhua, Shenzhen.


Factory:201# Building 1A, Nankechuang Yuangu, Gaofeng Road, Longhua, Shenzhen



PTCRB 3GPP CE FC RoHS

AT&T Verizon

* means that the certification is undergoing



Long Battery Life

Up to 6 days of use with 800mAh battery.



Fall Alert

Precise algorithms are designed to enhance the accuracy of fall alerts.



Two-way calling


Crisp and clear voice communication with minimal latency.

EV-07

Fall alarm



The EV-07B is a small size mobile alarm systems, designed for monitoring and protecting the elderly, lone workers, kids etc. In case of emergency, the person can activate it by pressing the SOS button on the unit and enable the two-way voice communication.



- Straight line means that the devices are well integrated
- Dotted line means that the devices are under integration

The healthy devices, the beacon EW-03, the safety necklace button EW-04 and the fall detector are connected to Eview EV-07B and its docking station DS-02 via Eview private Bluetooth protocol.

EV-04



Features

- SOS Alarm
- Live Tracking
- Fall Alert
- No Motion Alert
- Welfare
- Geo Fence
- IP67
- Fota
- Sub G

General Specifications

- ✓ Dimension: 62 *47 *17mm
- ✓ Weight: 53g
- ✓ Battery: 3.7V,950mAh
- ✓ Charging voltage: 5V DC
- ✓ Operating Temperature:
 - 20°C to +60°C for working
 - 30°C to +70°C for storage
- ✓ Waterproof: Follow the IP67 Standard

4G LTE & GPS

- ✓ Supported Bands:
 - AU: B1 B3 B7 B5 B28
 - EU: B1 B3 B7 B8 B20
 - North America: B2 B4 B7 B5 B12 B17 B13
- ✓ Support AGPS
- ✓ Receiver frequency: 1575.42MHz
- ✓ Antenna: Built-in laser curved antenna

Hardware Specifications

- ✓ Sensor: motion & fall detection sensor
- ✓ SIM card slot: Nano SIM card
Built-in microphone & speaker
- ✓ Wi-Fi: 2.4GHz, 802.11 b/g/n
- ✓ Bluetooth: BLE 4.2

Shenzhen Eview GPS Technology

www.eviewgps.com +86 -15899795842
 sales@eviewgps.com +86-0755-23761896

Office:29th Floor,Changjiang Center, Renmin Road, Longhua, Shenzhen.

Factory:201# Building 1A, Nankechuang Yuangu, Gaofeng Road, Longhua, Shenzhen



PTCRB RoHS



Android-Powered SOS Pendant

Enabling seamless customization and the incorporation of applications based on android, allowing the device to be tailored to specific user needs and market demands.



Working with Sub G


It enables seamless integration with medical alert buttons and various sensors via Sub G RF technology.



Connecting with Medical Devices

It is able to pair with industry-leading medical devices that has Bluetooth function. No set up or app download required.

EV-04



EV-04 is a sleek, smart pendant designed to keep you safe and connected. With its seamless communication features, you can easily stay in touch with loved ones and share your real-time location. Equipped with integrated Sub-G wireless RF technology, the SOS alarm can be activated either directly from the pendant or via an optional Halo Band.

- Straight line means that the devices are well integrated
- Dotted line means that the devices are under integration

The healthy devices and the beacon EW-03 are connected to Eview EV-04 and its charging base via Eview private Bluetooth protocol.

EV-03



EV-03 Lone Worker Safety Badge is an advanced lone worker device engineered for continuous, real-time safety monitoring. It provides robust connectivity, precise location tracking, and rapid emergency alerts to ensure the safety of workers in high-risk environments.

General Specifications

- ✓ Dimension: 95 x 65 x 12.5mm
- ✓ Weight: 80g
- ✓ Battery: Li-polymer battery 1000 mAh
- ✓ Charging voltage: 5V DC
- ✓ Operating Temperature: -20°C to +60°C
- ✓ Waterproof: Follow the IP67 Standard

4G LTE & GPS

- ✓ Supported Bands:
- ✓ AU: B1/B3/B5/B7/B8/B28
- ✓ Support AGPS
Receiver frequency: 1575.42MHz

Hardware Specifications

- ✓ Sensor: motion & fall detection sensor
- ✓ SIM card slot: Nano SIM card
Built-in microphone & speaker
- ✓ Wi-Fi: 2.4GHz, 802.11 b/g/n
- ✓ Bluetooth: BLE 5.0

Shenzhen Eview GPS Technology

www.eviewgps.com +86 -15899795842
sales@eviewgps.com +86-0755-23761896

Office: 29th Floor, Changjiang Center, Renmin Road, Longhua, Shenzhen.

Factory: 201# Building 1A, Nankechuang Yuangu, Gaofeng Road, Longhua, Shenzhen

Features

✓ SOS Emergency Response

One-touch activation of "SOS Alert," enabling integration with rescue and medical systems

✓ Activity Monitoring

Recognizes walking, stationary status, geofence breaches, and more

✓ Customizable Safety Settings

Supports settings for activity frequency, area limits, and dwell time

✓ Welfare Check in & Check out


Check in at regular intervals to confirm you are safe. Check out when the task is completed or you have finished for the day

✓ Fall Alert

Detects sudden falls, triggering immediate notifications and recording incident details to facilitate swift emergency response

✓ Ultra-Long Standby Mode

Ensures continuous protection with a 96-hour battery life. The unique adaptive sleep mode automatically activates when no anomalies are detected, optimizing power efficiency.



UK CA CE RoHS

EV-06

It's time to take medicine!

Features

- SOS Alarm
- Live Tracking
- Fall Alert
- IP67
- Geo Fence
- Blood Oxygen
- Step Counter
- Medication Reminder
- Heart Rate

General Specifications

- Dimension: 46.9 * 41.7 * 15.4mm
- Weight: 56g
- Screen: 1.3" TFT Screen
- Battery: 600mAH
- Charging voltage: 5V DC1.0A
- Operating Temperature: -20°C to +60°C for working, -20°C to +60°C for storage
- Waterproof: Follow the IP67 Standard

4G LTE & GPS

- Supported Bands:
 - North America: B2/B4/B12
 - EU: B1/B3/B7/B8/B20
 - AU: B1/B3/B5/B7/B8/B28
 - JP: B1/B18/B19/B26
- Support: GPS, Glonass and Beidou
- Receiver frequency: 1575.42MHz
- Antenna: Built-in laser curved antenna

Hardware Specifications

- Sensor: motion & vibration & fall detection sensor
- SIM card slot: Nano SIM card, Built-in microphone & speaker
- Wi-Fi: 802.11 b/g/n, 2.4G
- Bluetooth: BLE 5.0

Shenzhen Eview GPS Technology

www.eviewgps.com +86 -15899795842
 sales@eviewgps.com +86-0755-23761896

Office: 29th Floor, Changjiang Center, Renmin Road, Longhua, Shenzhen.

Factory: 201# Building 1A, Nankechuang Yuangu, Gaofeng Road, Longhua, Shenzhen



PTCRB UK CE FC RoHS
 AT&T verizon



Advanced Fall Detection

With our advanced fall detection algorithm, you get more accurate alerts and fewer false alarms.



Vital Signs Monitoring

It tracks your heart rate, and SpO2 levels at a wellness grade, giving you a reliable snapshot of your overall well-being.




Long Battery Life

Up to 5 days per charge for daily use

EV-06



This SOS watch is designed for elderly users and lone workers, featuring SOS alerts, two-way calling, heart rate tracking, blood oxygen monitoring, and step counting in a user-friendly device.



- Straight line means that the devices are well integrated
- Dotted line means that the devices are under integration

The healthy devices and the beacon EW-03 are connected to Eview EV-06 and its charging base via Eview private Bluetooth protocol.

EV-05



- SOS Alarm
- Live Tracking
- Fall Alert
- Geo Fence
- IP67
- Fota
- Step Counter
- Heart Rate
- Monitoring

Features

General Specifications

- ✓ Dimension: 47.5 * 16.9mm
- ✓ Weight: 65g
- ✓ Screen: AMOLED
- ✓ Backup battery: 3.7V, 580mAh
- ✓ Charging voltage: 5V DC
- ✓ Operating Temperature: -20°C to +60°C for working, -20°C to +60°C for storage
- ✓ Waterproof: Follow the IP67 Standard

4G LTE & GPS

- ✓ Supported Bands: AU: B1 B3 B5 B7 B28, EU: B1 B3 B7 B8 B20, North America: B2 B4 B7 B5 B12 B13 B17
- ✓ Support AGPS
- ✓ Receiver frequency: 1575.42MHz
- ✓ Antenna: Built-in laser curved antenna

Hardware Specifications

- ✓ Sensor: heart rate, motion & vibration sensor
- ✓ SIM card slot: Nano SIM card, Built-in microphone & speaker
- ✓ Wi-Fi: 2.4GHz, 802.11 b/g/n
- ✓ Bluetooth: BLE 5.0

Shenzhen Eview GPS Technology

www.eviewgps.com +86 -15899795842
 sales@eviewgps.com +86-0755-23761896

Office: 29th Floor, Changjiang Center, Renmin Road, Longhua, Shenzhen.

Factory: 201# Building 1A, Nankechuang Yuangu, Gaofeng Road, Longhua, Shenzhen



The **EV-05** Smart Safety Watch is designed to offer comprehensive safety and health monitoring for seniors and lone workers. With SOS alarm, fall detection, live tracking, and two-way calling, help is always just a button away.




PTCRB UK CE FC RoHS



Android-Powered SOS Watch

Experience seamless customization with our Android embedded system. Tailor your watch to your needs and enjoy endless possibilities.



Enhanced Visual Experience

Immerse yourself in vibrant AMOLED displays. Enjoy rich colors and deep blacks, making every detail clear—even in low light.



Built for Every Adventure

Engineered to endure. Conformed to IP67, our watch stays reliable in the rain, splashes, or even a quick dip in the bath.

EV-10



- SOS Alarm
- Live Tracking
- Fall Alert
- Geo Fence
- IP67
- Fota
- Step Counter
- Heart Rate
- Monitoring

Features

General Specifications

- Dimension: 47.5*16.5mm
- Weight: 65g
- Screen: 1.39"(454X454) AMOLED
- Battery: 580mAH
- Charging voltage: 5V DC
- Operating Temperature: -20°C to +60°C for working, -20°C to +60°C for storage
- Waterproof: Follow the IP67 Standard

4G LTE & GPS

- Supported Bands: AU: B1 B3 B5 B7 B28, EU: B1 B3 B7 B8 B20, North America: B2 B4 B7 B5 B12 B13 B17
- Support AGPS
- Receiver frequency: 1575.42MHz
- Antenna: Built-in laser curved antenna

Hardware Specifications

- Sensor: heart rate, motion & vibration sensor
- SIM card slot: Nano SIM card, Built-in microphone & speaker
- Wi-Fi: 2.4GHz, 802.11 b/g/n
- Bluetooth: BLE 5.0

Shenzhen Eview GPS Technology

www.eviewgps.com +86-15899795842
 sales@eviewgps.com +86-0755-23761896

Office: 29th Floor, Changjiang Center, Renmin Road, Longhua, Shenzhen.

Factory: 201# Building 1A, Nankechuang Yuangu, Gaofeng Road, Longhua, Shenzhen



This Safety Smartwatch is designed for the elderly and isolated workers. It features SOS alarms, two-way calling, heart rate monitoring, and step tracking, all in an easy-to-use device.



CE FCC RoHS



Android-Powered SOS Watch

Experience seamless customization with our Android embedded system. Tailor your watch to your needs and enjoy endless possibilities.



Intuitive & Interactive

Experience a richer interface with a 1.39-inch AMOLED display that delivers vibrant colors and crystal-clear visuals, ensuring an intuitive and engaging user experience.



Durable & Reliable

Our IP67-certified watch braves rain, splashes, and even a quick dip in the bath—always ready for life's unpredictable moments.

Watch Strap Lock



Introducing our new watch strap lock with a specially designed mechanism to prevent accidental removal of your watch.

The lock features a secure design that requires a key to open, ensuring that your watch stays safely in place until you choose to remove it, giving you peace of mind and adding security throughout the day.

Features

- ✔ **Discreet and light-weight, making it easy to wear and use.**
- ✔ **Withstanding pulling forces of 10KG or more**
- ✔ **Keeping your watch securely in place**

Eview watch strap lock is a versatile product that can be used for a wide range of people, including :



- ✔ **Those who suffer from conditions like dementia that may cause them to unintentionally remove their watch.**
- ✔ **Parents who want to prevent their young children from removing their watch without permission.**
- ✔ **Individuals who work in environments where their watch might get snagged on machinery or equipment.**
- ✔ **Anyone who values the safety and security of their watch and wants to protect their investment.**
- ✔ **People who frequently travel and want to ensure that their watch remains securely in place during their journey.**
- ✔ **Active individuals who engage in sports or physical activities and don't want their watch to accidentally fall off.**

Shenzhen Eview GPS Technology

www.eviewgps.com +86 -15899795842
sales@eviewgps.com +86-0755-23761896

Office:29th Floor,Changjiang Center, Renmin Road, Longhua, Shenzhen.

Factory:201# Building 1A, Nankechuang Yuangu, Gaofeng Road, Longhua, Shenzhen

Shenzhen Eview GPS Technology

www.eviewgps.com +86 -15899795842
sales@eviewgps.com +86-0755-23761896

Office:29th Floor,Changjiang Center, Renmin Road, Longhua, Shenzhen.

Factory:201# Building 1A, Nankechuang Yuangu, Gaofeng Road, Longhua, Shenzhen

EV-Hub



- SOS**
SOS Alarm
- Live Monitoring**
Live Monitoring
- 4G**
4G LTE
- WiFi**
WiFi
- LoRa**
LoRa
- Zigbee**
Zigbee
- Bluetooth**
Bluetooth
- Sensor Support**
Sensor Support
- Health Monitoring**
Health Monitoring

Features

General Specifications

- Dimension: 140*140*40.3mm
- Battery: 8500 mAh
- Charging voltage: 5V DC 3A

4G LTE

- Supported Bands:
EU: B1 B3 B5 B7 B8 B20
North America: B2 B4 B5 B12 B13
AU: B1 B3 B5 B7 B28

Hardware Specifications

- SIM card slot: Nano SIM card
- Built-in microphone & speaker
- Wi-Fi: 2.4GHz, 802.11 b/g/n
- Bluetooth: BLE 5.0

Shenzhen Eview GPS Technology

www.eviewgps.com +86 -15899795842
sales@eviewgps.com +86-0755-23761896

Office: 29th Floor, Changjiang Center, Renmin Road, Longhua, Shenzhen.

Factory: 201# Building 1A, Nankechuang Yuangu, Gaofeng Road, Longhua, Shenzhen


Features

- Seamless Connectivity**
Stay connected with cellular (4G LTE), Wi-Fi, or Ethernet. Enjoy smooth, uninterrupted data transmission, wherever you are.
- Full Range of Sensors Integrated**
Keep your loved ones safe with fall sensors, door sensors, smoke sensors, humidity and temperature sensors and more. Perfectly designed for seniors and patients, Eview ensures that you're always in safe hands.
- Real-Time Health Monitoring**
Monitor key health metrics like blood pressure, SpO₂, weight, and body temperature in real time. With continuous tracking, healthcare professionals can easily provide proactive, preventive care.
- Enhanced Emergency Alerts with LoRa**
Experience fast, reliable emergency support with our LoRa-enabled wristbands and emergency buttons. With a 150-meter range, help is always just a push away.
- Crisp, Clear Voice Communication**
Communicate with ease using high-definition audio for emergency calls via Volte and VoIP. Stay connected with family, friends, and care providers without any hassle.
- Uninterrupted Power Backup**
Never worry about power outages with a robust 8500mAh battery.



Eview In-Home Smart Hub is an advanced telehealth solution that uses 4G, Zigbee, Wi-Fi, LoRa and Bluetooth technologies. The hub connects to a wide range of sensors across the home, hospital, and nursing home to capture real-time data on daily activities, health metrics, and safety.





- Straight line means that the devices are well integrated
- Dotted line means that the devices are under integration

The Health Monitoring Devices are connected to EV-hub via private Bluetooth protocol, the Safety Sensors and Mobility Sensors are connected via Zigbee, the SOS Wall Button and Wristband are connected via LoRa.

EW-03



The sleek and lightweight device is perfect for indoor positioning applications. Whether you're tracking the movements of residents in a nursing home or monitoring the temperature across different rooms, our Bluetooth beacon delivers the precise data you need.

Features

- ✓ Small and light weight, easy to install
- ✓ Designed to use with Eview mPers, SOS watches and pet trackers
- ✓ Providing home/ out of home information in addition to optimizing battery life of mobile alarm and pet trackers
- ✓ Measuring temperature of its environment and sending data to monitor center or your mobile phone.
- ✓ IP68 waterproof.

The beacon enables effortless tracking and monitoring via both a mobile app and a PC interface. With just a few clicks, you can access location, battery level, signal strength, and temperature data—providing all the information needed to dispatch assistance to precise locations.

The beacons provide indoor locations information for room-by-room statistics.



CE FC RoHS

Shenzhen Eview GPS Technology

www.eviewgps.com +86 -15899795842
sales@eviewgps.com +86-0755-23761896

Office:29th Floor,Changjiang Center, Renmin Road, Longhua, Shenzhen.

Factory:201# Building 1A, Nankechuang Yuangu, Gaofeng Road, Longhua, Shenzhen

Shenzhen Eview GPS Technology

www.eviewgps.com +86 -15899795842
sales@eviewgps.com +86-0755-23761896

Office:29th Floor,Changjiang Center, Renmin Road, Longhua, Shenzhen.

Factory:201# Building 1A, Nankechuang Yuangu, Gaofeng Road, Longhua, Shenzhen

EW-04



Bluetooth Safety Pendant EW-04

Guardian Necklace is coming! where fashion meets innovation. This cutting-edge smart necklace transcends conventional jewelry by ingeniously incorporating Bluetooth 5.0 technology, transforming it into more than just an accessory—it's your discreet safety companion.

✓ Fashionable Design

The agate stones are expertly embedded in a design creating a mesmerizing pattern that transcends mere jewelry and becomes a statement piece, elevating your daily style.

✓ Smart and Swift Response

With a hidden button discreetly placed, the "Guardian Chain" offers seamless Bluetooth connectivity for emergency alarms. A discreet press ensures your location and status reach pre-set contacts swiftly. Whether you're walking alone at night, in an unfamiliar environment, or simply want an added layer of security, the Guardian Necklace has you covered.

✓ Intelligent Tracking

This accessory is not just a safety device; it's also a smart tracker. Utilizing advanced location services, your loved ones can access your real-time location, offering immediate assistance when needed.

✓ Durable and Stylish





The Guardian Necklace combines a lightweight design with premium materials, ensuring comfort in all settings. With a long-lasting battery and IP67 waterproof feature, it adapts to your lifestyle without compromising style or safety.



- ✓ Dimension: 33.5*38.3*13.8mm
- ✓ Weight: 15.4g
- ✓ Battery: CR2032, 3V, 240mAh
- ✓ Bluetooth: 5.1
- ✓ Waterproof: IP67



Shenzhen Eview GPS Technology

 www.eviewgps.com
 +86 -15899795842
 sales@eviewgps.com
 +86-0755-23761896

Office: 29th Floor, Changjiang Center, Renmin Road, Longhua, Shenzhen.

Factory: 201# Building 1A, Nankechuang Yuangu, Gaofeng Road, Longhua, Shenzhen

EVmars



Typical Applications



Smart Nursing Home Monitoring



High-Risk Asset Transport Supervision



Chronic Disease Remote Care

EVmars




- ✓ Device & User Management Platform
- ✓ For distributors, resellers and monitoring centers



About EVmars

EVmars is a smart alert hub that actively manages Eview mPers, SOS watches, and gateways. Over 1,000 devices are supported to be monitored simultaneously. Our partners are empowered to easily adjust settings, update firmware remotely, and capture logs. When SOS alarms, falls, or geofence breaches occur, EVmars immediately alerts caregivers, ensuring help is always within reach.

Features

-  **Real-time Monitoring**
Live tracking of 1,000+ devices with immediate alerts.
-  **Remote Configuration**
Easily adjust settings and perform FOTA remotely.
-  **Open API**
Seamless API/SDK integration with medical and caregiving systems.

Shenzhen Eview GPS Technology

www.eviewgps.com +86-15899795842
sales@eviewgps.com +86-0755-23761896

Office: 29th Floor, Changjiang Center, Renmin Road, Longhua, Shenzhen.

Factory: 201# Building 1A, Nankechuang Yuangu, Gaofeng Road, Longhua, Shenzhen


Our platform offers real-time tracking and monitoring of both users and devices, allowing remote configuration and upgrade.

<https://www.Smart-locator.com>



Smart-Locator

DOWNLOAD?






About APP

With Smart Locator, you can customize your device's functions and choose from six different working modes to fit your needs. You can also adjust the tracking intervals to optimize battery life and conserve power.

Add over 10,000 devices and get all the information you need with just a click of a button on our app, such as setting the Geo-fence zone.

Features

-  **Location**
Real-time display of locations on map.
-  **Settings**
Show all function setting buttons in the list.
-  **History**
Check all data from device according to date and time.

Shenzhen Eview GPS Technology

www.eviewgps.com +86 -15899795842
sales@eviewgps.com +86-0755-23761896

Office:29th Floor,Changjiang Center, Renmin Road, Longhua, Shenzhen.

Factory:201# Building 1A, Nankechuang Yuangu, Gaofeng Road, Longhua, Shenzhen

Our apps offer real-time tracking and monitoring of your devices, allowing you to stay informed about their status and movement history.

Meeting Notes

A large, empty rounded rectangular box with a dark blue border, intended for taking meeting notes. The box is centered on the page and occupies most of the lower two-thirds of the image.